



TYPICAL PROPERTIES

- Appearance: Light amber, viscous liquid
- Flash Point: 150°F (minimum)
- Specific Gravity: 0.99
- Viscosity: 700 - 1,000 cps

Paint Booth Stripper 470

Paint Booth Cleaner

Description

Paint Booth Stripper 470 is a water rinsable solvent based cleaner that has been formulated to provide effective removal of paint overspray from booth walls and windows that have been exposed to two component (2K) clear coats. The viscosity of the product has been adjusted to provide excellent vertical surface retention. The chemical composition of this formulation has been selected to provide effective paint removal while minimizing employee and environmental dangers.

Recommended Application

1

Paint Booth Stripper 470 can be sprayed or manually applied by brush. A uniform application will insure more consistent performance. The amount of material required and the penetration time will depend upon the severity of the buildup and the plants' operational constraints.

2

Rinsing of this product can be accomplished using either high or low pressure water spray. In cases of severe build-up or extended exposure times, high pressure water rinse will yield better results.

Benefits

- Excellent viscosity stability
- Easily rinsed from all surfaces

Health & Safety

Please refer to SDS for complete health and safety information.

Storage

Store in a dry location at room temperature. Keep container closed and maintain all original markings and labels.

Application

A uniform application will insure more consistent performance. The amount of material required and the penetration time will depend upon the severity of the buildup and the plants' operational constraints.

Removal

A uniform application will insure more consistent performance. The amount of material required and the penetration time will depend upon the severity of the buildup and the plants' operational constraints.

12336 Emerson Dr. | Brighton, MI 48116 | 248-587-5600
Fax: 248-587-5606 | www.gccdatasheets.com