

Low-Cor 51

HEADER DIP & CORE BAKING FLUX

TYPICAL PROPERTIES

Appearance: Mobile clear amber liquid
pH: < 1.0

Description

Low-Cor 51 provides greater solder penetration due to excellent wetting. No Zinc Salt formation thus causes reduced water treatment. Cleaner solder surface resulting in a better core easier to paint. Low-Cor 51 has excellent heat stability. The super high concentration of Low-Cor 51 saves on shipping cost.

Recommended Application

1

LOW-COR 51 super concentrate may be applied by a cascade or immersion.
Dilution Recommendations: Application Water :
Flux Core Bake 5:1 - 8:1 Header Dip 2:1 - 4:1
Torch Soldering 1:0 - 2:1

Benefits

- * Used with wide range of solder.
- * Superior cleaning ability for removal of lubricants, shop dirt and oxides.
- * Concentration controlled by a simple titration procedure.
- * Excellent shelf life.
- * Better paint adhesion.
- * Engineered for radiator manufacturers and rebuilders
- * Leaves virtually no residues
- * Easier wastewater treatment
- * Increases shelf life of radiator

Health & Safety

Please refer to SDS for complete health and safety information.

12336 Emerson Dr. | Brighton, MI 48116 | 248-587-5600
Fax: 248-587-5606 | www.gccdatasheets.com